


- NOTES:**
 UNLESS OTHERWISE SHOWN,
 1) ALL DIMENSIONS ARE IN MM
 2) ASSUMED RC SLAB TO BE 150mm THK.
 3) PT BEAM TO BE READ AS W X D
 4) HATCHED SHADDED AREAS, FINING NOT SHOWN AS PT BEAM & EDGE BEAMS TO BE DESIGNED AS R.C. BY STRUCTURAL CONSULTANT.
 5) GRADE OF CONCRETE = M35, GRADE OF STEEL = F450
 6) LOADINGS:
 LL = 5.0 kN/SqM
 SL = 2.0 kN/SqM
 TOTAL = 7.0 kN/SqM
 * PT BEAM ARE DESIGNED AS "T" BEAM
 * RC SLAB & PT BEAM SHOULD BE OF SAME GRADE.

2	REVISIONS MADE	DATE	BY
1	ISSUE FOR TENDER	22-11-22	SEELAM
		22-11-22	SEELAM
		22-11-22	SEELAM

CLIENT:
 GOVERNMENT OF INDIA, MINISTRY OF DEFENCE

CONSULTANT:

 SatyaVani Projects and Consultants Pvt. Ltd.,
 A-203 KUNJAL TOWERS, BHARATNAGAR, HYDERABAD-50
 Ph: 945-3804648, 23321623 FAX: 945-2308184
 Visit Us @ : www.svpcl.com

PT SPECIALIST:

 UTRACON STRUCTURAL SYSTEMS PVT. LTD.,
 Plot No. 45, 5th Street, Palamuru Nagar, Adyar,
 Chennai-600 028, INDIA
 Tel: 044 24480201/2/3 Fax: 044 2448 0004
 E-Mail: utracon@utraconsystems.com
 www.utracon.com

PROJECT TITLE:
 CONSTRUCTION OF PG BLOCK FOR ARMY COLLEGE
 DENTAL SCIENCES - SECUNDERABAD

DRAWING TITLE:
POST-TENSIONED
1ST FLOOR LAYOUT PLAN

DESIGNED BY:	REVIEWED BY:	CHECKED BY:	APPROVED BY:
SEELAM	SEELAM	SE	SE
SCALE:	DATE:	E-MAIL:	APPROVED:
1/25	22-11-22	satya@utracon.com	SEELAM

DRAWING NO:
20603/T/1-01

PREPARED BY: ARMY COLLEGE OF SCIENCES, PG BLOCK AT HYDERABAD, 22/03/17-01-21
 THIS DRAWING IS PREPARED AND REVIEWED BY THE PROPERTY OF UTRACON STRUCTURAL SYSTEMS PVT. LTD. AND MUST NOT BE USED WITHOUT THEIR PERMISSION.
 ORIGINAL SIZE OF THIS DRAWING IS A1